

### Labcheck Next Generation

# Guide de démarrage rapide

**Recherche avancée d'échantillons** 



## Établissement de critères de recherche

Advanced Search	
Dat	te Range
<b>ote</b> : The default Date Range values displayed in the selectors below are the date nalysts Online database.	es of your earliest Sample and your latest Sample out of your <b>0</b> total Samples in th
<ul> <li>All Samples</li> <li>Only Samples in Date Range</li> </ul>	Earliest Log Date     Latest Log Date       mm/dd/yyyy     to     mm/dd/yyyy
Recherche dans tous les échantillons (« All Samples ») ou dans une gamme de date définie.	B C D D Unit Unit Filtre par gravité (« Severity ») d'échantillon.
Component	Sample
Component Type: 0 Make: 0 Model: 0 Reference No.: 0	Oil Manufacturer: 0 Oil Brand: 0 Oil Grade: 0
Save above sample search crit	eria as:

Severity	Sample Number	Sampled Date	Received Date	Unit ID	Unit Make	Customer	City

# Établissement de critères de recherche (suite)

	Data N	eport commis				
Advanced Search	Date	Range				
Note: The default Date Range values displayed in the Analysts Online database.	selectors below are the dates Sev Other 💟 A 💟 B	Earlies Earlies mm/do verity B V C V D V	Ajouter des renseigner (« Custome composant d'échantille	s filtres additionnels par nent de client er »), unité (« Unit »), te (« Component ») ou on (« Sample »).		
Customer				Unit		
Name:           Worksite:           City:           State:           Zip Code:		ID: Make: Model:				
Component			2	Sample		
Component Type: Make: Nodel: Reference No.:		Oil Mar	Oil Brand: Oil Grade:			
Les icônes d'aide vous donne des exemples de critères de recherche.	above sample search criter Submit Search Criter ceived Unit ID Date Unit ID	ia as: ia Reset Unit Make	Form Customer	City		

## Enregistrement des recherches

#### - Advanced Search

	Date Range										
<b>Note</b> : The dei Analysts Onlii	fault Date Range ne database.	values displayed in	the selectors	below are the dates	5 of your earliest	est Sample and your latest Sample out of your <b>0</b> total Samples in th	e				
	ම All Samp ⊚ Only San	les nples in Date Rang	je	Se	Earlies mm/do	arliest Log Date Latest Log Date					
Other V A V B V C V D V											
		Customer				Unit					
Com	Name:       American         Worksite:				ID: Make: Model: Les critères de recherche utilisés fréquemment peuvent être enregistrés à des fins d'utilisation futures.						
		✓ s	ave above sa	ample search crite	ria as: America	ican Engine Search					
ase Enter S	Submit Search Criteria Se Enter Search Criteria Cliquer sur « Submit Search Criteria (Soumettre des critères de recherce										
Severity	Sample Numb	er Sampled Date	Received Date	Unit ID	Unit Make						

### Recherche de résultats

Sam	ples										
Inb	ox Sear	ch									
► [	Quick Sea	rch I Search	Searc	h	Download Data	Display Manage Report Columns	An	Saved Searches merican Engine Search Mana merican Engine Search	age		
	Severity	Sample Number	Sampled Date	Received Date	Unit ID	Unit Make	Inscrivez le	es critères de recherch	ne		
		CHI201010136479	09/10/2010	10/13/2010	2018	Mack	(« Saved S d'utilisation	Searches ») à des fins n futures.			
	found in unit and applicabl washer, and fault elevated controls,	the oil. If applicable or resampling at on- e) could be wrist pin- governor and or oil p cy crankcase ventilati viscosity can cause air induction system	e-half the nor s, bushings, b jomp. Excession. Check for wear, poor fue and fuel sup	be filtration if wice inter- ve nitration proper air/fun- el economy and ply. Oxidation	Exame résulta un éch	n rapide de ts. Cliquer antillon po	esent suggest monit sible sources of wear bushing essive b ed soot SUI emissi COMMER UI Paving	gest monitoring ces of wear (if bushing, thrust essive blowby ed soot and emission COMMENTS Paving			
	Change oil and filters (if applicable), if not done at the time of sampling to reduce contamination and/or wear levels found in the oil. If applicable, perform on-line filtration if available. If C or D codes are present suggest monitoring unit and or resampling at one-half the normal service interval. Increased nitration can cause the formation of acid in the oil. Oil thickening can occur which can accelerate oxidation. Check for proper operating conditionsCOMMENTS										
	Q	CHI201011262026	10/12/2010	11/26/2010	4301	Caterpillar	American Paving Corp.	SALISBURY			
	Change oil and filters (if applicable), if not done at the time of sampling to reduce contamination and/or wear levels found in the oil. If applicable, perform on-line filtration if available. If C or D codes are present suggest monitoring unit and or resampling at one-half the normal service interval. Increased nitration can cause the formation of acid in the oil. Oil thickening can occur which can accelerate oxidation. Check for proper operating conditionsCOMMENTS										
	Q	CHI201011262023	11/08/2010	11/26/2010	2009	Mack	American Paving Corp.	SALISBURY			
	Elevated	soot can cause depo g conditions and fuel	osits, sludge, I supply. It is	reduced air flov recommended	v, shortened filt the indicated pr	er life and poor er oblem be investig	ngine performance. ated as soon as po	Check ossible.			

### Examen de rapports



#### 🛨 New Comment

Spectroche	Spectrochemical Analysis in Parts Per Million																	
Sampled Date	Aluminum	Antimony	Barium	Boron	Calcium	Chromium	Copper	Iron	Lead	Magnesium	Molybdenum	Nickel	Phosphorus	Potassium	Silicon	Silver	Sodium	Tin
09/02/2011	<1	<30	<10	44	2453	<1	228	11	1	15	<5	<1	1108	<10	5	<0.1	8	<1
06/22/2011	2	<30	<10	46	2277	<1	164	9	5	9	<5	<1	1031	<10	6	<0.1	7	<1
03/03/2011	1	<30	<10	67	2486	<1	71	4	<1	16	<5	1	1178	<10	8	<0.1	9	1
11/08/2010	1	<30	<10	50	2358	<1	178	5	<1	19	<5	<1	1058	<10	3	0.5	7	<1
10/04/2010	2	<30	<10	48	3105	<1	1137	27	2	20	<5	<1	1280	<10	4	0.7	23	1
•	K														•			

## Téléchargement de données

		nome	3011	pies	Equipment	керонь	Preferenc	es Aulinii	
Sam Inbo	ples ox Sear	ch							
Quick Search     Advanced Search		Searc	h	Download Data	Display Manage Report Columns	► Saved Searches American Engine Sea ⊂ Go Manag			
	Severity	Sample Number	Sampled Date	Received Date	Unit ID	Unit Make	Customer	City	
	0	CHI201010136479	09/10/2010	10/13/2010	2018	Mack	American Paving Corp.	SALISBURY	
	Change found in unit and applicab washer, and faul elevated controls,	the or resamption or resamption of the or resamptio	Sélection chantill n forma	nner un ons pou at Excel.	ou plusie r l'exporta	contami urs are pre ed. Poss ation l cooler, hicken oi perating d. Sodium level is	ination and/or wear l sent suggest monito ible sources of wear valve train bushing, il, cause excessive b ons. Increased soot g conditions, emissio elevatedCOMMEN	evels vring (if thrust lowby and vn TS	
<b>V</b>	Q	CHI201007290946	06/11/2010	07/29/2010	4505	Komatsu	American Paving Corp.	SALISBURY	
	Change found in unit and the oil. (	oil and filters (if appl the oil. If applicable, or resampling at one Dil thickening can occ	icable), if no perform on- half the no ur which can	t done at the f line filtration i mal service in accelerate oxi	time of sampling if available. If C iterval. Increased dation. Check fo	to reduce contam or D codes are pre d nitration can caus r proper operating	ination and/or wear l sent suggest monito se the formation of a conditionsCOMME	levels pring prid in ENTS	
	Q	CHI201011262026	10/12/2010	11/26/2010	4301	Caterpillar	American Paving Corp.	SALISBURY	
V	Change	oil and filters (if appl	icable), if no	done at the	time of sampling	to reduce contam	ination and/or wear l	evels	