

Quick Start Guide

Email Settings and Customization

Learn How To:

- 1. Choose email notifications settings
- 2. Customize Sample Inbox

Email Notifications Preferences



Email Notification Settings: Links to Sample Details

	ome samples	EQUIPMENT	LABELS	REPORTS	Settings	ADMIN					Quick Search	1	Need He
nage Filter	s My Tests	Communicatio	ons Do	wnload Optic	ons								
otificat	tion and Alerí	ts											\wedge
Email											A 11		
	Email Address					N	ew Ol	II Samp	le Repo	rts are	e Availa	able	
	Email Address:	fgilboy@bp.con	n					· · · · ·					
	Format:	fgilboy@bp.con	n ple Details			Thank you for chi	osing Analy	vsts, Inc. for your	fluid analysis ne	eds. You hav	e 6 new sampl og in to vour LC	es for review in th AMS account	ne
	Format:	fgilboy@bp.com • Links to Sam • PDF At Com	n ple Details nents			Thank you for ch LOAMS program.	osing Analy To view thes	/sts, Inc. for your se reports please	fluid analysis ne click on the links	eds. You hav below and lo	e 6 new sampl og in to your LC	es for review in th AMS account.	ne
	Format:	fgilboy@bp.con Links to Sam PDF At Chm 	n ple Details nents			Thank you for che LOAMS program. Sample Number	osing Analy To view thes Severity	rsts, Inc. for your se reports please Sampled Date	fluid analysis ne click on the links Customer	eds. You hav below and lo Worksite	e 6 new sampl og in to your LC Unit ID	es for review in th)AMS account. Component	ne
nko	Format:	fgilboy@bp.con Links to Sam PDF At Chm 	n ple Details nents	Dofa		Thank you for che LOAMS program. Sample Number 201406051225	osing Analy To view thes Severity	Arsts, Inc. for your se reports please Sampled Date 2014-06-04	fluid analysis ne click on the links Customer ACME Company	eds. You hav below and lo Worksite Chicago, IL	e 6 new sampl og in to your LC Unit ID ONFS02494	es for review in th)AMS account. Component COOLANT	ne
nks	Format:	fgilboy@bp.con Links to Sam PDF At Unm ple Det	n ple Details nents Cails ((Defa	ult)	Thank you for che LOAMS program. Sample Number 201406051225 201406051231	osing Analy To view thes Severity	se reports please Sampled Date 2014-06-04 2014-06-05	fluid analysis ne click on the links Customer ACME Company ACME Company	eds. You have below and lo Worksite Chicago, IL Chicago, IL	e 6 new sampl og in to your LC Unit ID ONFS02494 OCMC01109	es for review in th)AMS account. Component COOLANT COOLANT	ne
nks	Format:	fgilboy@bp.con Links to Sam PDF At Mm ple Det	n ple Details nents cails ((Defa	ult)	Thank you for chi LOAMS program. Sample Number 201406051225 201406051227	osing Analy To view thes Severity Q Q Q	Arsts, Inc. for your se reports please Sampled Date 2014-06-04 2014-06-05 2014-06-04	fluid analysis ne click on the links Customer ACME Company ACME Company	eds. You hav below and lo Worksite Chicago, IL Chicago, IL Chicago, IL	e 6 new sampling in to your LC Unit ID ONFS02494 OCMC01109 OKPS01050	es for review in th DAMS account.	ne
nks Sur	Format:	fgilboy@bp.con Links to Sam PDF At Unm ple Det mail wit	n ple Details nents ails (th a c	(Defa lickat	ult)	Sample Number 201406051225 201406051227 201406051227 201406051203 201406051203	osing Analy To view thes Severity Q Q Q Q	Arsts, Inc. for your the reports please 2014-06-04 2014-06-05 2014-06-04 2014-06-04 2014-06-04	fluid analysis ne click on the links Customer ACME Company ACME Company ACME Company ACME Company	eds. You hav below and lo Worksite Chicago, IL Chicago, IL Chicago, IL Chicago, IL	e 6 new sampling in to your LC Unit ID ONFS02494 OCMC01109 OKPS01050 OKPS01050	es for review in th DAMS account.	ne
nks Sur	Format: to Sam mmary e	fgilboy@bp.con Links to Sam PDF At Unm ple Det mail with the lock to lock.	ⁿ ple Details nents c ails (th a c	(Defa lickat	ult) ble	Sample Number 201406051225 201406051227 201406051227 201406051203 201406051203	osing Analy To view thes Severity Q Q Q Q Q Q Q Q Q Q Q Q Q Q	Asts, Inc. for your se reports please 2014-06-04 2014-06-05 2014-06-04 2014-06-04 2014-06-04	fluid analysis ne click on the links Customer ACME Company ACME Company ACME Company ACME Company ACME Company	eds. You hav below and lo Worksite Chicago, IL Chicago, IL Chicago, IL Chicago, IL	e 6 new sampl g in to your LC Unit ID 0NFS02494 0CMC01109 0KPS01050 0KPS01050 0NFS02494	es for review in th AMS account.	ne
inks Sur	Format: To Sam mmary e lir	fgilboy@bp.cor	n ple Details nents c ails (th a c gin	(Defa lickat	ult) ble	Sample Number 201406051225 201406051227 201406051227 201406051203 201406051203 201406051203	osing Analy To view thes Severity Q Q Q Q Q Q Q Q Q Q Q Q Q Q	Asts, Inc. for your se reports please 2014-06-04 2014-06-05 2014-06-04 2014-06-04 2014-06-04	fluid analysis ne click on the links Customer ACME Company ACME Company ACME Company ACME Company ACME Company	eds. You hav below and lo Worksite Chicago, IL Chicago, IL Chicago, IL Chicago, IL	e 6 new sampl g in to your LC Unit ID ONFS02494 OCMC01109 OKPS01050 OKPS01050 ONFS02494	es for review in th DAMS account.	ne

Email Notification Settings: PDF Attachments

	Select Language English▼ Frank Gilboy マ Last login on 12/22/2014
Home samples equipment labels reports settings admin	Quick Search Need Help ?
Manage Filters My Tests Communications Download Options	
Notification and Alerts	
Email Address: fgilboy@bp.com Format: Links to Sample Details PDF Attachments 	New Oil Sample Reports are Available
PDF Attachments PDF Copies of reports included in the body of the email, open the .Zip file to review results	Thank you for choosing Analysts, Inc. for your fluid analysis needs. You have 28 new samples for review in the LOAMS program. Please see attached PDF file which contains 28 reports that meet your severity criteria. You may also log in to your LOAMS account to review these samples.
Language: English	Click Here to Log In to Your LOAMS Account

Email Notification Settings: Severity Threshold

Castrol ABCHECK					Select Frank Gilboy -	Language English▼ Last login on 12/22/2014
HOME SAMPLES	EQUIPMENT LABEL	s reports	SETTINGS	ADMIN	Quick Search	Need Help ?
Manage Filters My Tests	Communications	Download Opt	ions			
Notification and Alert Email Email Address:	ts failbov@bp.com				Severity Threshold A: Email notifications on all samples	
Format: Severity Threshold:	 Links to Sample Deta PDF Attachments 	iils			B: Email Notifications on B or Worse only	
Frequency:	Daily Digest		•		C: Emails on C or worse only	
Samples Email Format:	STANDARD		¥		D: Emails only for D samples	
Regional Settings						
Language:	English		•			
Dete Fermeti	1					

Email Notification Settings: Regional Settings

Quick Links

Online Help

HOME SAMPLES EQUIPMENT	LABELS REPORTS	SETTINGS ADMIN				Quick Search	Nee
ge Filters My Tests Communica	tions Download Option	ns					
tification and Alerts							
nail							
Email Address:	fgilboy@bp.com						
Format:	Links to Sample Details			You can also cus	tomize Frequency	Samplas	
	PDF Attachments				contract requercy,	Jampies	
Severity Threshold:	A		T	Email Format	, and Regional Sei	ungs.	
Frequency:	Daily Digest		T				
Samples Email Format:	STANDARD		•				
						Save	
						_	
gional Settings							
Language:	English		T				
Date Format:	mm/dd/yyyy						
			Save				

Help Desk

¥

Sample Inbox: Customization

Castrol ABCHEC NEXTGENERAT	ION									Select Language English
HOME	SAMPLES	Equipment Labels	REPORTS SE	ETTINGS ADMIN						Quick Search Need Help
nbox Search										
Date Range: Last 9	0 Days	Show: All	X Clear from	m Inbox 🛛 🗶 E	xport XLS	Print Report(s				
Component	Unit ID	Sampled Date	Severity	Condition	Worksite	Customer	Make / Model Serial	Simple Num Oil	Age Unit Age	Unit Make / Worksite 🗱
DIESEL ENGI	83-117	Oct 22, 2014	C	Wear	AFOLINO O	AFOLINO	Click S	Settinas	con	Ca Choose Columns:
ENGINE	92-110	Jul 31, 2014	Α	Acceptable	AFOLINO O	AFOLINO		Journage		Ca Unit ID
ENGINE	91-109	Sep 27, 2014	Α	Acceptable	AFOLINO O	AFOLINO	to custo	omize Sa	ample	Un
ENGINE	94-104	Aug 30, 2014	Α	Acceptable	AFOLINO O	AFOLINO				Ko 🖌 Severity
ENGINE	83-120	Aug 30, 2014	В	Fuel	AFOLINO O	AFOLINO	Inho	x Heade	rs	Ca 🗹 Condition
L GEARBOX	51-114	Aug 26, 2014	Α	Acceptable	AFOLINO O	AFOLINO		ATIOUUC		Vo Worksite
ENGINE	83-113	Oct 09, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201410210901 263	1947	Ta Make / Model
ENGINE	92-112	Jun 14, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201409230372 269	1063	🖌 Serial
ENGINE	94-103	Aug 05, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201409230375 235	2223	Ko 闭 Sample Number
ENGINE	51-113	Dec 05, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201412081504 656	2041	Vo ✔ Oil Age
ENGINE	62-105	Jul 17, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201409230435 252	2482	Ha
ENGINE	94-100	Oct 25, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201411140460 268	5288	Vunit Worksite
R FINAL DRI	51-114	Aug 26, 2014	D	Wear	AFOLINO O	AFOLINO	Unknown/Un	201409230377 80	80	Vogere szos z
ENGINE	83-108	Jun 20, 2014	A	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201409230384 250	2215	Case
ENGINE	51-110	May 18, 2014	A	Acceptable	AFOLINO O	AFOLINO	Cummins / -	201409230323 296	2224	Vogele null -
ENGINE	92-110	May 29, 2014	A	Acceptable	AFOLINO O	AFOLINO	Caterpillar / GBJ01964	201409230325 235	935	Caterpillar C
R GEARBOX	51-114	Aug 26, 2014	Δ	Acceptable	AFOLINO O	AFOLINO	Unknown/Un	201409230376 80	80	Voqele 5200-2
Total Items: 109									Page Size: 25	▼ 4 4 1 /5 ► ►

Sample Inbox: Customization

BCHEC	K											Sele	t Language	💶 En
NEXTGENERATIO	NC											Frank Gilboy 🗸	Last login on	12/2
HOME	SAMPLES E	QUIPMENT LABELS	REPORTS SI	ettings admi	N							Quick Search	N	leed I
Search														
									$\overline{\sqrt{2}}$					
te Range: Last 90) Days 🔻 S	Show: All	🗙 Clear fro	m Inbox	Export XLS	Print Report(s)							
Component	Unit ID	Sampled Date	Severity	Condition	Worksite	Customer	Make / Model	Serial	Sample Num	Oil Age	Unit Age	Unit Make /	Unit Worksite	e
DIESEL ENGI	83-117	0ct _ 014	С	Wear	AFOLINO O	AFOLINO	Unknown/Un		201411140461	237	457	Case 2000	-	
ENGINE		Ctit				AFOLINO	Caterpillar /	P					-	
ENGINE		Sort C	olum	ins by	У	AFOLINO	Unknown/Un			D			-	
ENGINE		Some		Data		AFOLINO	Caterpillar /		Drag or	Dro	p Coil	imn	-	
ENGINE		Samp	neu	Dale,		AFOLINO	Unknown/Un		Ŭ I					
L GEARBOX		Sour	ority	oto		AFOLINO	Unknown/Un		Г	lead	lers			
ENGINE		Jeve	enty,			AFOLINO	Unknown/Un							
ENGINE	92-112	Jun 14, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201409230372	269	1063		-	
ENGINE	94-103	Aug 05, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201409230375	235	2223	Komatsu D65	-	
ENGINE	51-113	Dec 05, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201412081504	656	2041	Vogele 5100-2		
ENGINE	62-105	Jul 17, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201409230435	252	2482	Hamm ROLL	-	
ENGINE	94-100	Oct 25, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201411140460	268	5288		-	
R FINAL DRI	51-114	Aug 26, 2014	D	Wear	AFOLINO O	AFOLINO	Unknown/Un		201409230377	80	80	Vogele 5200-2		
ENGINE	83-108	Jun 20, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201409230384	250	2215	Case -	-	
ENGINE	51-110	May 18, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Cummins / -		201409230323	296	2224	Vogele null	-	
ENGINE	92-110	May 29, 2014	Α	Acceptable	AFOLINO O	AFOLINO	Caterpillar /	GBJ019	64 201409230325	235	935	Caterpillar C	-	
R GEARBOX	51-114	Aug 26, 2014	Δ	Acceptable	AFOLINO O	AFOLINO	Unknown/Un		201409230376	80	80	Vogele 5200-2		
otal Items: 109											Page Size: 25	T 4 4	1 /5 ►	.] [,



LABCHECK SUPPORT DESK:

Phone: **1.866.522.2432**

Email: LabcheckSupport@AnalystsInc.com

www. LabcheckResources.com